
Branson 2205h



Everything you'd desire on your perfect sub-compact tractor



If you could start from scratch to design your ideal tractor, the **Branson 2205h** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect sub-compact tractor? With customized tires and implements, you can design the tractor that best suits your work.



Branson 2205h Series Sub-Compact Tractor

	2205h				
ENGINE					
Model	3TNM74F				
Туре	Natural Aspiration				
Combustion System	Swirl Chamber				
Aspiration	Natural				
Engine HP	21.5				
PTO HP	15.4				
Engine / RPM	3200				
No. of Cylinders	3				
Displacement / cu. in	60.6				
Type of Air Cleaner	Single Dry				
Fuel Tank Capacity / gal	6.6				
PERATIONS					
Steering	Power Assisted Hydrostatic				
Battery	12V				
Brake	Wet Disc				
RANSMISSION					
Main Transmission Type	HST / Hydrostatic				
Number of Speeds	2 Range				
Maximum Traveling Speed / mph	Forward - 8.4 / Reverse - 8.8				
IYDRAULIC SYSTEM					
Туре	Single Gear Pump with Flow Divider				
Lift Control Type	Position				
Lift Capacity at Lift Point / lbs.	1100				
Pump Capacity / gals.	4.17				
Category, 3-Point Hitch	Category 1				
TO *					
Туре	Independent, Electric/Hydro				
Speed / RPM	540				
DIMENSIONS					
Overall Length / in.	94.2				
Overall Width / in.	44.5				
Overall Height / in.	86.6				
Wheelbase / in.	53.1				
Ground Clearance / in.	8.3				
Weight / lbs.	1433				
TIRES					
Turf Tires (TURF 05)	18 x 8.50 - 10 26 x 12.00 - 12				
Industrial Tires (IND 05)	18 x 8.50 - 10 26 x 12.00 - 12				

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.



Branson 10 Series



Everything you'd desire for your perfect compact tractor

-{ including a really affordable price }-



If you could start from scratch to design your ideal tractor, the **Branson 10 Series** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in your perfect sub-compact tractor? With customized tires and implements, you can design the tractor that best suits your work.



Branson 10 Series Compact Tractor

	2610h
NGINE	
Model	A1100N2
Туре	Water Cooled, Diesel
Combustion System	Swirl Chamber
Aspiration	Natural
Engine HP	24
PTO HP	18
Compression Ratio	21.5:1
No. of Cylinders	3
Displacement / cu. in	71.7
Type of Air Cleaner	Single Dry
Fuel Tank Capacity / gal	6.0
PERATIONS	
Steering	Power Assisted Hydrostatic
Clutch	Dry, Single
Battery	12V
Brake	Wet Disc
ANSMISSION	
Main Shifting	HST
Forward / Reverse Method	HST
Gear Staging (Front and Rear)	3 Range
Travel Speed / mph	Forward: 4.6 - 16.8 Reverse: 4.6 - 16.8
/DRAULIC SYSTEM	
Type	Position Control
3-Point Hitch	Category 1
Lift Capacity at Lift Point / lbs.	1499
Pump Capacity / gals.	7.4
0	
Туре	Live P.T.O. (6 Spine shaft)
Speed / RPM	540 / 960 / Option: 2,500 (Mid)
MENSIONS	
Overall Length / in.	122.9
Overall Width / in.	53.8
Overall Height / in.	91.3
Wheelbase / in.	65.8
Ground Clearance / in.	16.4
Weight / lbs.	2,106
RES	
Industrial Tires (IND00B)	25 x 8.50 x 14 / 14 x 17.5

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefor. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.



Branson 15 Series



Everything you'd desire for your perfect compact tractor



If you could start from scratch to design your ideal tractor, the **Branson 15 Series tractors** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect compact tractor? With six models, you can choose the horsepower, transmission, tires and implements that best suits your work. Branson 15 Series compact tractors are also available in CAB models.



Branson 15 Series Compact Tractors - R and h

	2515R	2515h	3015R	3015h	3515R	3515h	4215R	4215h	4815R	4815h
ENGINE						3.50 - 10 - 1				
Model	A1700N6	A1700N6	A1700N3	A1700N3	A1700N2	A1700N2	A2000N2	A2000N2	A2300N2	A2300N2
Туре			V	ertical, 4 Cycl	e, Water Cool	ed, Diesel, EPA	Tier 4 Certifie	ed		
Combustion System					Swirl C	hamber			***	
Aspiration					Nati	urally				Memory - Mark
Engine HP	24	25	30	30	35	35	42	42	48	48
PTO HP	21	21	25	25	30	30	36	36	40	40
Engine / RPM	21	00			L	26	500			LOUIS ALON
No. of Cylinders				3					4	
Displacement / cu. in	4		10	4.5	192 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 19		* Springer and the	13	39.5	
Type of Air Cleaner					Dry E	lement				
Fuel Tank Capacity / gal					7	7.1		Programme and the second		
TRANSMISSION		V BUK								
Main Shift	Synchro- mesh	HST	Synchro- mesh	HST	Synchro- mesh	HST	Synchro- mesh	HST	Synchro- mesh	HST
Forward / Reverse Method	Synchro Shuttle	-	Synchro Shuttle	-	Synchro Shuttle	-	Synchro Shuttle	-	Synchro Shuttle	-
No. of Traveling Speeds	12F / 12R	3 Range	12F / 12R	3 Range	12F / 12R	3 Range	12F / 12R	3 Range	12F / 12R	3 Range
Traveling Speeds (F / R) mph	12/11.6	15.2/15.2	14.9/14.3	18.7/18.7	14.9/14.3	18.7/18.7	14.9/14.3	18.7/18.7	14.9/14.3	18.77/18
HYDRAULIC SYSTEM		100	THE SEL					THE WA		
Lift Control Type					Position	n Control				
3-Point Hitch					Cate	gory 1				
Lift Capacity / Ibs.		- A. C. W. (1997)	ACCOUNT OF THE PARTY OF THE PAR		33	306				
РТО	BARN		6		MI SH					
Туре				Inc	dependent PT	O (6 Spline Sh	aft)			
Speed / RPM					533 / 79	91 (2600)				
Power (PTO) @ 2,600 rpm / HP	21	21	25	25	30	30	36	36	40	40
DIMENSIONS		PARTE S	H. Wall						TE HIE	
Overall Length / in.		120.9								
Overall Width / in.	56.3									
Overall Height / in.	97.3									
Wheelbase / in.	65.7									
Ground Clearance / in.	14.4					SHOOLS IN TRANSPORT TO SELECT				
Weight / Ibs.	2989	2969	3183	3163	3183	3163	3278	3258	3278	3258
TIRES							I Vally ov			
Agricultural Tires (AG 10)	Front Tires - 7 - 16 / Rear Tires - 12.4 - 24									
Industrial Tires (IND 10)		Front Tires - 28 x 8.50 x 15 / Rear Tires - 43 x 16.00 - 20								

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.


B

Branson 15 Series Cabs



Everything you'd desire for your perfect compact tractor

-{ including a really affordable price }-



If you could start from scratch to design your ideal tractor, the **Branson 15 Series CABS** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect compact tractor? With three models, you can choose the horsepower, transmission, tires and implements that best suits your work.



Branson 15 Series Compact Cab Specifications

	3515Ch	4215Ch	4815Ch
ENGINE			
Model	A2300NA	A2300NA	A2300T
Туре	Vertical,	4 Cycle, Water Cooled, Diesel, EPA Tier	4 Certified
Combustion System		Swirl Chamber	300 1 (2) (000 to 10 (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
Aspiration	Naturally	Naturally	Turbo Charged
Engine HP	35	42	48
PTO HP	30	36	40
Engine / RPM		2600	The second secon
No. of Cylinders		4	
Displacement / cu. in		139.5	
Type of Air Cleaner		Dry, Double Filter Elements	
Fuel Tank Capacity / gal		7.1	
TRANSMISSION			
Main Shift	HST	HST	HST
Gear Shifting (F & R)	3-Range	3-Range	3-Range
HYDRAULIC SYSTEM			
Туре	100000000000000000000000000000000000000	Position Control	
3-Point Hitch		Category 1	
Lift Capacity / Ibs.		3306	•
Steering Pump Flow GPM @ 2600 RPM	4.97	5	4.97
Main Pump Flow - GPM @ 2600 RPM	11.1	10.3	11.1
РТО			
Туре		Independent PTO (6 Spline Shaft)	
Speed / RPM		560	
Power (PTO) @ 2,600 rpm / HP	38.4	38.4	44
DIMENSIONS			
Overall Length / in.		130	
Overall Width / in.	55.6	55.6	55.6
Overall Height / in.	89.3	89.3	89.3
Wheelbase / in.		65.7	
Ground Clearance / in.		13.1	
Weight / lbs.	3664	3664	3664
TIRES		A	
Agricultural Tires (AG10)		Front Tires - 7 x 16 / Rear Tires - 12.4 x 2	24
Industrial Tires (IND 10)	Fro	ont Tires -28 x 8.50 / Rear Tires - 43 x 16	5-20

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.




Branson 20 Series



Everything you'd desire for your perfect compact tractor

{ including a very affordable price }



If you could start from scratch to design your ideal tractor, the **Branson 20 Series tractors** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect compact tractor? With six models, you can choose the horsepower, transmission, tires and implements that best suits your work. Branson 20 Series tractors are also available in CAB tractor models.



Branson 20 Series Compact Tractors - R and h Models

	3620R	3620h	4820R	4820h	5520R	5520h	
ENGINE	4.1.						
Model	A2300N2	A2300N2	A2300N3	A2300N3	A2300T	A2300T	
Туре		Vertical	, 4 Cycle, Water Cooled	l, Diesel, EPA Tier	4 Certified		
Combustion System			Swirl Cha	amber	10		
Aspiration	Naturally	Naturally	Naturally	Naturally	Turbo Charged	Turbo Charged	
Engine HP	35	35	48	48	55	55	
PTO HP	28	29.6	36	36	44	44	
Engine / RPM			260	0			
No. of Cylinders	3	3			4		
Displacement / cu. in	104.	5		1	39.5		
Type of Air Cleaner			Dry, Double Fil	ter Elements			
Fuel Tank Capacity / gal	11.8	11.8			11.8		
TRANSMISSION							
Main Shift	Fully Synchronized (4 Speed)	HST	Fully Synchronized (4 Speed)	HST	Fully Synchronized (4 Speed)	HST	
Reverse Method	Synchro Shuttle		Synchro Shuttle	-	Synchro Shuttle	-	
Gear Shifting (F & R)	16F / 16R	4 Range	16F / 16R	4 Range	16F / 16R	4 Range	
HYDRAULIC SYSTEM			TONE STAN MILES				
Туре			Position (Control		-	
3-Point Hitch			elescopic lower link /	Telescopic stabil	izers		
Lift Capacity / Ibs.			330	6			
Steering Pump Flow GPM @ 2600 RPM			4.97	5	4.97	5	
Main Pump Flow-GPM @ 2600 RPM	13.7	13.7	16.1	15.3	16.1	15.3	
РТО		HE WITH			175.750		
Туре			Independent PTO	(6 Spline Shaft)			
Speed / RPM			584 / 791	(2600)			
Power (PTO) @ 2,600 rpm / HP	28	29.6	36	36	44	44	
DIMENSIONS		THE THIRD IS			Att. Water		
Overall Length / in.			127	.4			
Overall Width / in.		64.9					
Overall Height / in.	98.4						
Wheelbase / in.	71.1						
Ground Clearance / in.			15.	5			
Weight / lbs.	3714	3714	3831	3831	3836	3836	
TIRES							
Agricultural Tires	AG 20 - Front - 9.5 - 16 / Rear - 12.4 - 28 AG 25 - Front - 9.5 - 16 / Rear - 14.9 - 24						
Industrial Tires	IND 20 - Front - 10 - 16.5 / Rear - 420 / 70 - 24 IND 25 - Front - 10 - 16.5 / Rear - 16.9 - 24						
Turf Tires		TURF	20 - Front - 29 x 12.5 -	15 / Rear - 44 x	18.00 - 20		

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.




Branson 20 Series Cabs



Everything you'd desire for your perfect compact tractor

-{ including a really affordable price }



If you could start from scratch to design your ideal tractor, the **Branson 20 Series CABS** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect compact tractor? With four models, you can choose the horsepower, transmission, tires and implements that best suits your work.



Branson 20 Series Compact Cab Specifications

	4820C	4820Ch	5520C	5520Ch			
ENGINE	THE STATE AND IN						
Model	A2300NA	A2300NA	A2300T	A2300T			
Туре	Ve	ertical, 4 Cycle, Water Coole	ed, Diesel, EPA Tier 4 Certified				
Combustion System		Swirl C	hamber				
Aspiration	Naturally	Naturally	Turbo Charged	Turbo Charged			
Engine HP	48	48	55	55			
РТО НР	36	36	44	44			
Engine / RPM		26	500	30.10 1 10.100 10			
No. of Cylinders			4				
Displacement / cu. in		13	9.5				
Type of Air Cleaner		Dry, Double F	Filter Elements				
Fuel Tank Capacity / gal		1	1.8				
TRANSMISSION	CALL OF SALES		DESCRIPTION OF THE PROPERTY OF				
Main Shift	Fully Synchronized (4 Speed)	HST	Fully Synchronized (4 Speed)	HST			
Reverse Method	Synchro Shuttle		Synchro Shuttle	- 1			
Gear Shifting (F & R)	16F / 16R 4 Range		16F / 16R	4 Range			
HYDRAULIC SYSTEM							
Туре		Position	Control				
3-Point Hitch	Telescopic lower link / Telescopic stabilizers						
Lift Capacity / Ibs.		33	306				
Steering Pump Flow GPM @ 2600 RPM	4.97	5	4.97	5			
Main Pump Flow - GPM @ 2600 RPM	11.1 10.3		11.1	10.3			
то			CHANGE TO				
Туре		Independent PTO (6 Spline Shaft)					
Speed / RPM		584 / 79	91 (2600)				
Power (PTO) @ 2,600 rpm / HP	38.4	38.4	44	44			
DIMENSIONS							
Overall Length / in.		12	7.4				
Overall Width / in.	64~72						
Overall Height / in.	94.8 ~97	97.9	97.9	97.9			
Wheelbase / in.		7	1.1				
Ground Clearance / in.	15.5						
Weight / lbs.	4349	4310	4349	4349			
TIRES		46					
Agricultural Tires	AG 20 - Front - 9.5 x 10	6 / Rear - 12.4 x 28	AG 25 - Front - 9.5 - 16 / Rear - 14.9 - 24				
Industrial Tires	IND 20 - Front -10 - 16.5 / Rear - 420 / 70 - 24 IND 25 - Front - 10-16.5 / Rear - 16.9 - 2						
Turf Tires	•	TURF 20 - Front - 29 x 12.5	5 - 15 / Rear - 44 x 18.00 - 20				

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.




Branson 5835R



Everything you'd desire on your perfect utility tractor

{ including a really affordable price }



If you could start from scratch to design your ideal tractor, the **Branson 5835R** would probably come pretty close to that perfect tractor. Each design element has been carefully considered to give you a smooth and comfortable ride, combined with easy maintenance, a great warranty plan — and best of all, an affordable price. What more could you want in a perfect utility tractor? With custom designed tires and implements, you can also select those items that best suits your work.



Branson 5835R Utility Tractor

	5835R
NGINE	
Model	A2300T1
Type *	Natural Aspiration
Combustion System	Swirl Chamber
Aspiration	Turbo
Engine HP	58
PTO HP	47
Engine / RPM	2600
No. of Cylinders	4
Displacement / cu. in	139.5
Type of Air Cleaner	Dry Element
Fuel Tank Capacity / gal	15.3
PERATIONS	
Steering	Power Assisted Hydrostatic
Battery	12V
Brake	Wet Disc
RANSMISSION	
Main Transmission Type	Synchromesh
Number of Traveling Speeds	Forward - 12 / Reverse - 12
Forward / Reverse Method	Power Shuttle
YDRAULIC SYSTEM	
Туре	Single Gear Pump with Flow Divider
Lift Control Type	Electronic Control Draft
Lift Capacity at Lift Point / lbs.	4409
Pump Capacity / gals.	
Category, 3-Point Hitch	Category 2
то	
Туре	Independent
Speed / RPM	584
IMENSIONS	
Overall Length / in.	137.9
Overall Width / in.	6839
Overall Height / in. (with ROPS)	102.8
Wheelbase / in.	78.9
Ground Clearance / in.	18.1
Weight / lbs.	4,299
IRES .	
AG Tires	Front - 9.50 - 020 Rear - 14.9 - 28
Industrial Tires	Front - 10.5 / 80 - 18 Rear - 16.9 - 24

Learn more at our website - bransontractor.com

Design, materials and/or specifications are subject to change without notice and without liability therefore. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas. Contact your local Branson dealer for more information.

